

Newborn/2 Weeks

Name _____

Today's Date _____

Date of Birth _____

Hunger Vital Sign Questionnaire: (NB then yearly)

For each statement, please tell me whether the statement was Often True, Sometimes True, or Never True for your household in the past 12 months.

	Often True	Sometimes True	Never True
Within the past 12 months, we worried whether our food would run out before we got money to buy more.			
Within the past 12 months, the food we bought just didn't last and we didn't have money to get more.			



Bright Futures Parent Handout

2 to 5 Day (First Week) Visit

Here are some suggestions from Bright Futures experts that may be of value to your family.

How You Are Feeling

- Call us for help if you feel sad, blue, or overwhelmed for more than a few days.
- Try to sleep or rest when your baby sleeps.
- Take help from family and friends.
- Give your other children small, safe ways to help you with the baby.
- Spend special time alone with each child.
- Keep up family routines.
- If you are offered advice that you do not want or do not agree with, smile, say thanks, and change the subject.

Feeding Your Baby

- Feed only breast milk or iron-fortified formula, no water, in the first 6 months.
- Feed when your baby is hungry.
 - Puts hand to mouth
 - Sucks or roots
 - Fussing
- End feeding when you see your baby is full.
 - Turns away
 - Closes mouth
 - Relaxes hands

If Breastfeeding

- Breastfeed 8–12 times per day.
- Make sure your baby has 6–8 wet diapers a day.
- Avoid foods you are allergic to.
- Wait until your baby is 4–6 weeks old before using a pacifier.
- A breastfeeding specialist can give you information and support on how to position your baby to make you more comfortable.
- WIC has nursing supplies for mothers who breastfeed.

If Formula Feeding

- Offer your baby 2 oz every 2–3 hours, more if still hungry.
- Hold your baby so you can look at each other while feeding
- Do not prop the bottle.
- Give your baby a pacifier when sleeping.

Baby Care

- Use a rectal thermometer, not an ear thermometer.
- Check for fever, which is a rectal temperature of 100.4°F/38.0°C or higher.
- In babies 3 months and younger, fevers are serious. Call us if your baby has a temperature of 100.4°F/38.0°C or higher.
- Take a first aid and infant CPR class.
- Have a list of phone numbers for emergencies.
- Have everyone who touches the baby wash their hands first.
- Wash your hands often.
- Avoid crowds.
- Keep your baby out of the sun; use sunscreen only if there is no shade.
- Know that babies get many rashes from 4–8 weeks of age. Call us if you are worried.

Getting Used to Your Baby

- Comfort your baby.
 - Gently touch baby's head.
 - Rocking baby.
- Start routines for bathing, feeding, sleeping, and playing daily.
- Help wake your baby for feedings by
 - Patting
 - Changing diaper
 - Undressing

- Put your baby to sleep on his or her back.
 - In a safe crib, in your room, not in your bed.
 - Swaddled or with tucked blankets.
 - Do not use loose, soft bedding or toys in the crib such as comforters, pillows, or pillow-like bumper pads.
- Use a crib with slats close together.
 - 2³/₈ inches apart or less
- Keep the baby from getting too warm or cold.

Safety

- The car safety seat should be rear-facing in the middle of the back seat in all vehicles.
- Your baby should never be in a seat with a passenger air bag.
- Keep your car and home smoke free.
- Keep your baby safe from hot water and hot drinks.
- Do not drink hot liquids while holding your baby.
- Make sure your water heater is set at lower than 120°F.
- Test your baby's bathwater with your wrist.
- Always wear a seat belt and never drink and drive.

What to Expect at Your Baby's 1 Month Visit

We will talk about

- Any concerns you have about your baby
- Feeding your baby and watching him or her grow
- How your baby is doing with your whole family
- Your health and recovery
- Your plans to go back to school or work
- Caring for and protecting your baby
- Safety at home and in the car



Bright Futures
prevention and health promotion
for infants, children, adolescents,
and their families™

American Academy
of Pediatrics



DEDICATED TO THE HEALTH OF ALL CHILDREN™

The recommendations in this publication do not indicate an exclusive course of treatment or serve as a standard of medical care. Variations, taking into account individual circumstances, may be appropriate. Original document included as part of *Bright Futures Tool and Resource Kit*. Copyright © 2010 American Academy of Pediatrics. All Rights Reserved. The American Academy of Pediatrics does not review or endorse any modifications made to this document and in no event shall the AAP be liable for any such changes.



Bright Futures Parent Handout 1 Month Visit

Here are some suggestions from Bright Futures experts that may be of value to your family.

PARENTAL WELL-BEING

How You Are Feeling

- Taking care of yourself gives you the energy to care for your baby. Remember to go for your postpartum checkup.
- Call for help if you feel sad or blue, or very tired for more than a few days.
- Know that returning to work or school is hard for many parents.
- Find safe, loving child care for your baby. You can ask us for help.
- If you plan to go back to work or school, start thinking about how you can keep breastfeeding.

SAFETY

Safety

- Use a rear-facing car safety seat in all vehicles.
- Never put your baby in the front seat of a vehicle with a passenger air bag.
- Always wear your seat belt and never drive after using alcohol or drugs.
- Keep your car and home smoke free.
- Keep hanging cords or strings away from and necklaces and bracelets off of your baby.
- Keep a hand on your baby when changing clothes or the diaper.

INFANT ADJUSTMENT

Getting to Know Your Baby

- Have simple routines each day for bathing, feeding, sleeping, and playing.
- Put your baby to sleep on his back.
 - In your room.
 - Not in your bed.
 - In a crib, with slats less than 2³/₈ inches apart.
 - With the crib's sides always up.
- If using a playpen, make sure the weave is less than 1/4 inch and never leave the baby in it with the drop side down.
- Hold and cuddle your baby often.
 - Tummy time—put your baby on his tummy when awake and you are there to watch.
- Crying is normal and may increase when your baby is 6–8 weeks old.
- When your baby is crying, comfort him by talking, patting, stroking, and rocking.
- *Never shake your baby.*
- If you feel upset, put your baby in a safe place; call for help.

FAMILY ADJUSTMENT

Your Baby and Family

- Plan with your partner, friends, and family to have time for yourself.
- Take time with your partner too.
- Let us know if you are having any problems and cannot make ends meet. There are resources in our community that can help you.
- Join a new parents group or call us for help to connect to others if you feel alone and lonely.
- Call for help if you are ever hit or hurt by someone and if you and your baby are not safe at home.
- Prepare for an emergency/illness.
 - Keep a first-aid kit in your home.
 - Learn infant CPR.
 - Have a list of emergency phone numbers.
 - Know how to take your baby's temperature rectally. Call us if it is 100.4°F (38.0°C) or higher.
- Wash your hands often to help your baby stay healthy.

FEEDING ROUTINES

- Pat, rock, undress, or change the diaper to wake your baby to feed.
- Feed your baby when you see signs of hunger.
 - Putting hand to mouth
 - Sucking, rooting, and fussing
- End feeding when you see signs your baby is full.
 - Turning away
 - Closing the mouth
 - Relaxed arms and hands
- Breastfeed or bottle-feed 8–12 times per day.
- Burp your baby during natural feeding breaks.
- Having 5–8 wet diapers and 3–4 stools each day shows your baby is eating well.

If Breastfeeding

- Continue to take your prenatal vitamins.
- When breastfeeding is going well (usually at 4–6 weeks), you can offer your baby a bottle or pacifier.

If Formula Feeding

- Always prepare, heat, and store formula safely. If you need help, ask us.
- Feed your baby 2 oz every 2–3 hours. If your baby is still hungry, you can feed more.
- Hold your baby so you can look at each other.
- Do not prop the bottle.

What to Expect at Your Baby's 2 Month Visit

We will talk about

- Taking care of yourself and your family
- Sleep and crib safety
- Keeping your home safe for your baby
- Getting back to work or school and finding child care
- Feeding your baby

Poison Help: 1-800-222-1222

Child safety seat inspection:
1-866-SEATCHECK; seatcheck.org



American Academy
of Pediatrics



The recommendations in this publication do not indicate an exclusive course of treatment or serve as a standard of medical care. Variations, taking into account individual circumstances, may be appropriate. Original document included as part of Bright Futures Tool and Resource Kit. Copyright © 2010 American Academy of Pediatrics. All Rights Reserved. The American Academy of Pediatrics does not review or endorse any modifications made to this document and in no event shall the AAP be liable for any such changes.

DEDICATED TO THE HEALTH OF ALL CHILDREN™